

Specyfikacje



Zdjęcie jest reprezentatywne

Eaton 260038

Eaton Moeller series NZM - Molded Case Circuit Breaker. Cover, 3p, for screw connection, size 2

General specifications

PRODUCT NAME	Eaton Moeller series NZM connection type
CATALOG NUMBER	260038
EAN	4015082600389
PRODUCT LENGTH/DEPTH	76 mm
PRODUCT HEIGHT	85 mm
PRODUCT WIDTH	102 mm
PRODUCT WEIGHT	0.234 kg
COMPLIANCES	UL/CSA IEC RoHS conform
CERTIFICATIONS	UL (Category Control Number DIHS) UL listed CSA (Class No. 1432-01) IEC60947 CSA-C22.2 No. 5-09 CSA (File No. 22086) CE marking UL (File No. E31593) CSA certified UL489
MODEL CODE	NZM2-XKSA



Powering Business Worldwide

Delivery program

TYPE	<ul style="list-style-type: none"> • Accessory • Terminal cover
NUMBER OF POLES	Three-pole
FRAME	NZM2
USED WITH	DS7-34...SX200... NZM2, PN2, NS2 DS7-34...SX160... DS7-34...SX135...

Design verification as per IEC/EN 61439

10.2.2 CORROSION RESISTANCE	Meets the product standard's requirements.
10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES	Meets the product standard's requirements.
10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT	Meets the product standard's requirements.
10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS	Meets the product standard's requirements.
10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION	Meets the product standard's requirements.
10.2.5 LIFTING	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 MECHANICAL IMPACT	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 INSCRIPTIONS	Meets the product standard's requirements.
10.3 DEGREE OF PROTECTION OF ASSEMBLIES	Does not apply, since the entire switchgear needs to be evaluated.
10.4 CLEARANCES AND CREEPAGE DISTANCES	Meets the product standard's requirements.
10.5 PROTECTION AGAINST ELECTRIC SHOCK	Does not apply, since the entire switchgear needs to be evaluated.
10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS	Does not apply, since the entire switchgear needs to be evaluated.
10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS	Is the panel builder's responsibility.
10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS	Is the panel builder's responsibility.
10.9.2 POWER-FREQUENCY ELECTRIC STRENGTH	Is the panel builder's responsibility.
10.9.3 IMPULSE WITHSTAND VOLTAGE	Is the panel builder's responsibility.
10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL	Is the panel builder's responsibility.
10.10 TEMPERATURE RISE	The panel builder is responsible for the

	temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 SHORT-CIRCUIT RATING	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 ELECTROMAGNETIC COMPATIBILITY	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 MECHANICAL FUNCTION	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

Additional information

PHASE SEPARATOR TYPE Other

Do pobrania

INSTRUKCJE MONTAŻU

[eaton-circuit-breaker-cable-lug-cover-nzm2-il01206007z.pdf](#)

MODELE MCAD

[nzm2_3p_xksa](#)
[nzm2_3p_xksa.stp](#)

RYSUNKI

[eaton-circuit-breaker-terminals-nzm-mccb-dimensions-002.eps](#)
[eaton-circuit-breaker-terminals-nzm-cover-3d-drawing.eps](#)

NAZWA PROJEKTU:

NUMER PROJEKTU:

PRZYGOTOWANE PRZEZ:

DATA:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Irlandia
Eaton.com

© 2026 Eaton. Wszelkie prawa zastrzeżone.

Najnowsze informacje o produktach i wsparciu znajdują się na naszych mediach społecznościowych.

