



Zdjęcie jest reprezentatywne

## Eaton 266777

Eaton Moeller series NZM - Molded Case Circuit Breaker. Protection against contact with a finger, IP2X, 3p, size 2, A

### General specifications

<b>PRODUCT NAME</b>	Eaton Moeller series NZM connection type
<b>CATALOG NUMBER</b>	266777
<b>EAN</b>	4015082667771
<b>PRODUCT LENGTH/DEPTH</b>	75 mm
<b>PRODUCT HEIGHT</b>	35 mm
<b>PRODUCT WIDTH</b>	75 mm
<b>PRODUCT WEIGHT</b>	0.035 kg
<b>COMPLIANCES</b>	UL/CSA IEC RoHS conform
<b>MODEL CODE</b>	NZM2-XIPA

## Delivery program

<b>TYPE</b>	<ul style="list-style-type: none"><li>• Accessory</li><li>• Terminal</li><li>• IP2X protection against contact with finger</li></ul>
-------------	--

<b>NUMBER OF POLES</b>	Three-pole
------------------------	------------

<b>FRAME</b>	NZM2
--------------	------

<b>USED WITH</b>	NZM2, PN2, N(S)2 Cover NZM2-XKSA or NZM2 or NZM2...(C)NA und N(S)2...NA
------------------	--

## Technical Data - Mechanical

<b>DEGREE OF PROTECTION</b>	IP2X (protection against contact with a finger)
-----------------------------	---

---

## Design verification as per IEC/EN 61439

<b>10.2.2 CORROSION RESISTANCE</b>	Meets the product standard's requirements.
<b>10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES</b>	Meets the product standard's requirements.
<b>10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT</b>	Meets the product standard's requirements.
<b>10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS</b>	Meets the product standard's requirements.
<b>10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION</b>	Meets the product standard's requirements.
<b>10.2.5 LIFTING</b>	Does not apply, since the entire switchgear needs to be evaluated.
<b>10.2.6 MECHANICAL IMPACT</b>	Does not apply, since the entire switchgear needs to be evaluated.
<b>10.2.7 INSCRIPTIONS</b>	Meets the product standard's requirements.
<b>10.3 DEGREE OF PROTECTION OF ASSEMBLIES</b>	Does not apply, since the entire switchgear needs to be evaluated.
<b>10.4 CLEARANCES AND CREEPAGE DISTANCES</b>	Meets the product standard's requirements.
<b>10.5 PROTECTION AGAINST ELECTRIC SHOCK</b>	Does not apply, since the entire switchgear needs to be evaluated.
<b>10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS</b>	Does not apply, since the entire switchgear needs to be evaluated.
<b>10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS</b>	Is the panel builder's responsibility.
<b>10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS</b>	Is the panel builder's responsibility.
<b>10.9.2 POWER-FREQUENCY ELECTRIC STRENGTH</b>	Is the panel builder's responsibility.
<b>10.9.3 IMPULSE WITHSTAND VOLTAGE</b>	Is the panel builder's responsibility.
<b>10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL</b>	Is the panel builder's responsibility.
<b>10.10 TEMPERATURE RISE</b>	The panel builder is responsible for the

## Additional information

**PHASE SEPARATOR TYPE** Other

	temperature rise calculation. Eaton will provide heat dissipation data for the devices.
<b>10.11 SHORT-CIRCUIT RATING</b>	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
<b>10.12 ELECTROMAGNETIC COMPATIBILITY</b>	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
<b>10.13 MECHANICAL FUNCTION</b>	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

## Do pobrania

INSTRUKCJE MONTAŻU	<a href="#">eaton-circuit-breaker-finger-proof-ip2x-nzm1-2-3-il01219008z.pdf</a>
MODELE MCAD	<a href="#">DA-CS-nzm2_xipa</a> <a href="#">DA-CD-nzm2_xipa</a>
RYSUNKI	<a href="#">eaton-circuit-breaker-terminals-nzm-mccb-dimensions-002.eps</a> <a href="#">eaton-circuit-breaker-contact-nzm-mccb-3d-drawing-002.eps</a>

**NAZWA PROJEKTU:**

**NUMER PROJEKTU:**

**PRZYGOTOWANE PRZEZ:**

**DATA:**



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Irlandia  
Eaton.com

Najnowsze informacje o produktach i wsparciu znajdują się na naszych mediach społecznościowych.



© 2026 Eaton. Wszelkie prawa zastrzeżone.