

Pin busbar touch-safe, 16 mm² 2-phase+AUX, 1016 mm long can be cut, without end caps



Figure similar

product brand name	SENTRON
product designation	Pin busbar
design of the product	23x (1PH+N+HS)
design of the phase tap	L1/L2 oder L1/N
General technical data	
compatibility	for 2 MW devices (2P/1P+N)
phase number	2
operational current rated value	80 A
suitability for interaction devices with auxiliary switch	Yes
suitability for interaction devices with N conductor	Yes
color	light grey
Product details	
product component with end cap	No
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
• suitable for compact devices	No
• can be cut	Yes
number of devices suitable for fitting	23
type of electrical connection	Pin
Mechanical Design	
module width	18 mm
height	15 mm
width	18 mm
length	1 016 mm
number of modular width units	56
cross-section	16 mm ²
angle of the pin of busbar	0°
Net Weight	442 g
Approvals Certificates	
General Product Approval	other




[Miscellaneous](#)




[Miscellaneous](#)

other

Environment

Further information**Information on the packaging**<https://support.industry.siemens.com/cs/ww/en/view/109813875>**Information for data generation and storage**<https://support.industry.siemens.com/cs/ww/en/view/109995012>**Information- and Downloadcenter (Catalogs, Brochures,...)**<http://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3707>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/5ST3707>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3707**CAX-Online-Generator**<http://www.siemens.com/cax>**Tender specifications**<http://www.siemens.com/specifications>

¹⁾ Pin spacings in MW (Modular widths, 1 MW = 18



last modified:

8/8/2025 

