

Specyfikacje



Eaton 276263

Main load disconnect Switch with isolation function, highly wear resistant contacts and classified for the use in rail rolling stock, 415 V, 25 A, 2P

General specifications

PRODUCT NAME	Eaton Moeller series IS Disconnecter
CATALOG NUMBER	276263
EAN	4015082762636
PRODUCT LENGTH/DEPTH	60 mm
PRODUCT HEIGHT	80 mm
PRODUCT WIDTH	35.4 mm
PRODUCT WEIGHT	0.201 kg
COMPLIANCES	RoHS conform
CERTIFICATIONS	EN45545-2 IEC 61373
MODEL CODE	IS-25/2



Powering Business Worldwide

Specyfikacje produktu

DEGREE OF PROTECTION	IP40 IP10
TERMINALS	Lift terminal
EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT	0.9 W
IMPRINT/INDICATION	Symbol "arrows"
LAMP SOCKET	Other
AMBIENT OPERATING TEMPERATURE - MAX	40 °C
AMBIENT OPERATING TEMPERATURE - MIN	-5 °C
BUILT-IN DEPTH	69.5 mm
HEAT DISSIPATION CAPACITY	0 W
HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT	0.8 W
LAMP POWER	0 W
NUMBER OF CONTACTS (CHANGE-OVER CONTACTS)	0
NUMBER OF CONTACTS (NORMALLY CLOSED CONTACTS)	2
AMPERAGE RATING	25 A
COLOR CALOTTE	Other
SWITCH TYPE	Other
RATED SHORT-TIME WITHSTAND CURRENT (ICW)	1 kA
VOLTAGE TYPE	AC
LAMP TYPE	Other
TYPE	IS. Main load disconnect switch
APPLICATION	Switchgear for industrial and advanced commercial applications
NUMBER OF CONTACTS (NORMALLY OPEN CONTACTS)	2
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	25 A
RATED OPERATIONAL VOLTAGE (UE) - MAX	415 V
RATED SWITCHING CAPACITY	12.5 kA

Do pobrania

DEKLARACJE ZGODNOŚCI	eaton-disconnector-declaration-of-conformity-eu250428en.pdf
MODELE ECAD	ETN.IS-25_2.edz
MODELE MCAD	eaton-main-load-disconnector-switch-mcad-3dmodels-is-2p.stp eaton-main-load-disconnector-switch-mcad-drawings-is-2p.dwg
RYSUNKI	eaton-dimensions-mas-is.jpg
SCHEMATY POŁĄCZEŃ	IS_2P

STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0 W
VOLTAGE RATING - MIN	240 V
WIDTH IN NUMBER OF MODULAR SPACINGS	2
NUMBER OF POLES	Two-pole

NAZWA PROJEKTU:

NUMER PROJEKTU:

PRZYGOTOWANE PRZEZ:

DATA:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Irlandia
Eaton.com

© 2025 Eaton. Wszelkie prawa zastrzeżone.

Najnowsze informacje o produktach i wsparciu znajdują się na naszych mediach społecznościowych.

