

Zdjęcie jest reprezentatywne

## Eaton 276272

Main load disconnecter Switch with isolation function, highly wear resistant contacts and classified for the use in rail rolling stock, 240/415 V, 40 A, 3P

### General specifications

<b>PRODUCT NAME</b>	Eaton Moeller series IS Disconnecter
<b>CATALOG NUMBER</b>	276272
<b>EAN</b>	4015082762728
<b>PRODUCT LENGTH/DEPTH</b>	60 mm
<b>PRODUCT HEIGHT</b>	80 mm
<b>PRODUCT WIDTH</b>	53.1 mm
<b>PRODUCT WEIGHT</b>	0.305 kg
<b>COMPLIANCES</b>	RoHS conform
<b>CERTIFICATIONS</b>	EN45545-2 IEC 61373
<b>MODEL CODE</b>	IS-40/3

## Specyfikacje produktu

<b>DEGREE OF PROTECTION</b>	IP40 IP10
<b>TERMINALS</b>	Lift terminal
<b>EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT</b>	2.2 W
<b>IMPRINT/INDICATION</b>	Symbol "arrows"
<b>LAMP SOCKET</b>	Other
<b>AMBIENT OPERATING TEMPERATURE - MAX</b>	40 °C
<b>AMBIENT OPERATING TEMPERATURE - MIN</b>	-5 °C
<b>BUILT-IN DEPTH</b>	69.5 mm
<b>HEAT DISSIPATION CAPACITY</b>	0 W
<b>HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT</b>	1.9 W
<b>NUMBER OF CONTACTS (CHANGE-OVER CONTACTS)</b>	0
<b>NUMBER OF CONTACTS (NORMALLY CLOSED CONTACTS)</b>	3
<b>AMPERAGE RATING</b>	40 A
<b>COLOR CALOTTE</b>	Other
<b>SWITCH TYPE</b>	Other
<b>RATED SHORT-TIME WITHSTAND CURRENT (ICW)</b>	1 kA
<b>VOLTAGE TYPE</b>	AC
<b>LAMP TYPE</b>	Other
<b>TYPE</b>	IS. Main load disconnect switch
<b>APPLICATION</b>	Switchgear for industrial and advanced commercial applications
<b>NUMBER OF CONTACTS (NORMALLY OPEN CONTACTS)</b>	3
<b>RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)</b>	40 A
<b>RATED OPERATIONAL VOLTAGE (UE) - MAX</b>	415 V
<b>RATED SWITCHING CAPACITY</b>	12.5 kA
<b>STATIC HEAT</b>	0 W

## Do pobrania

DEKLARACJE ZGODNOŚCI	<a href="#">eaton-disconnector-declaration-of-conformity-eu250428en.pdf</a>
MODELE ECAD	<a href="#">ETN.IS-40_3.edz</a>
RYSUNKI	<a href="#">eaton-dimensions-mas-is.jpg</a> <a href="#">1221172</a>
SCHEMATY POŁĄCZEŃ	<a href="#">IS_3P</a>

---

**DISSIPATION, NON-CURRENT-DEPENDENT**

---

**VOLTAGE RATING - MIN** 240 V

---

**WIDTH IN NUMBER OF MODULAR SPACINGS** 3

---

**NUMBER OF POLES** Three-pole

---

---

**NAZWA PROJEKTU:**

---

**NUMER PROJEKTU:**

---

**PRZYGOTOWANE PRZEZ:**

---

**DATA:**

---



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Irlandia  
Eaton.com

© 2026 Eaton. Wszelkie prawa zastrzeżone.

Najnowsze informacje o produktach i wsparciu znajdują się na naszych mediach społecznościowych.

